

# SILOMASTERS

## CORRUGATED SILOS CATALOGUE

SILO MODEL	DIAMETER (m)	NUM. OF RINGS	CYLINDER HEIGHT (m)	ROOF HEIGHT (m)	EAVES HEIGHT (m)	TOTAL HEIGHT (m)	TOTAL VOLUME (**) (m <sup>3</sup> )	NET VOLUME (*)(***) (m <sup>3</sup> )	CAPACITY (@750 kg/m <sup>3</sup> ) (tn)	COMPACTED CAPACITY (+6%) (tn)
<b>SILOS SERIE 'CERES'</b>										
-- In case you don't find the silo that you need in this list, please, do not hesitate to contact us.... --										
T0403	4	3	3,58	1,14	3,58	4,72	50	50	37	39
T0404	4	4	4,75	1,14	4,75	5,88	65	64	48	51
T0405	4	5	5,91	1,14	5,91	7,05	79	79	59	63
T0406	4	6	7,08	1,14	7,08	8,21	94	94	70	74
T0407	4	7	8,24	1,14	8,24	9,38	109	108	81	86
T0408	4	8	9,41	1,14	9,41	10,55	123	123	92	98
T0409	4	9	10,58	1,14	10,58	11,71	138	138	103	109
T0410	4	10	11,74	1,14	11,74	12,88	153	152	114	121
T0503	5	3	3,58	1,43	3,58	5,01	80	79	59	63
T0504	5	4	4,75	1,43	4,75	6,17	103	102	77	81
T0505	5	5	5,91	1,43	5,91	7,34	126	125	94	99
T0506	5	6	7,08	1,43	7,08	8,50	149	148	111	118
T0507	5	7	8,24	1,43	8,24	9,67	172	171	128	136
T0508	5	8	9,41	1,43	9,41	10,84	195	194	145	154
T0509	5	9	10,58	1,43	10,58	12,00	217	217	163	172
T0510	5	10	11,74	1,43	11,74	13,17	240	240	180	191
T0603	6	3	3,58	1,71	3,58	5,29	118	116	87	93
T0604	6	4	4,75	1,71	4,75	6,46	151	149	112	119
T0605	6	5	5,91	1,71	5,91	7,63	184	183	137	145
T0606	6	6	7,08	1,71	7,08	8,79	217	216	162	171
T0607	6	7	8,24	1,71	8,24	9,96	250	249	186	198
T0608	6	8	9,41	1,71	9,41	11,12	283	282	211	224
T0609	6	9	10,58	1,71	10,58	12,29	316	315	236	250
T0610	6	10	11,74	1,71	11,74	13,46	349	348	261	276
T0611	6	11	12,91	1,71	12,91	14,62	382	381	285	303
T0612	6	12	14,07	1,71	14,07	15,79	415	414	310	329
T0704	7	4	4,75	2,00	4,75	6,75	209	207	155	164
T0705	7	5	5,91	2,00	5,91	7,91	254	252	189	200
T0706	7	6	7,08	2,00	7,08	9,08	299	297	223	236
T0707	7	7	8,24	2,00	8,24	10,24	344	342	256	272
T0708	7	8	9,41	2,00	9,41	11,41	389	387	290	307
T0709	7	9	10,58	2,00	10,58	12,58	434	432	324	343
T0710	7	10	11,74	2,00	11,74	13,74	478	476	357	379
T0711	7	11	12,91	2,00	12,91	14,91	523	521	391	415
T0712	7	12	14,07	2,00	14,07	16,07	568	566	425	450



# SILOMASTERS

## CORRUGATED SILOS CATALOGUE

SILO MODEL	DIAMETER (m)	NUM. OF RINGS	CYLINDER HEIGHT (m)	ROOF HEIGHT (m)	EAVES HEIGHT (m)	TOTAL HEIGHT (m)	TOTAL VOLUME (**) (m <sup>3</sup> )	NET VOLUME (*)(***) (m <sup>3</sup> )	CAPACITY (@750 kg/m <sup>3</sup> ) (tn)	COMPACTED CAPACITY (+6%) (tn)
T0804	8	4	4,75	2,29	4,75	7,03	278	275	206	218
T0805	8	5	5,91	2,29	5,91	8,20	336	333	250	265
T0806	8	6	7,08	2,29	7,08	9,37	395	392	294	312
T0807	8	7	8,24	2,29	8,24	10,53	454	451	338	358
T0808	8	8	9,41	2,29	9,41	11,70	512	509	382	405
T0809	8	9	10,58	2,29	10,58	12,86	571	568	426	452
T0810	8	10	11,74	2,29	11,74	14,03	630	627	470	498
T0811	8	11	12,91	2,29	12,91	15,20	689	686	514	545
T0812	8	12	14,07	2,29	14,07	16,36	747	744	558	592
T0813	8	13	15,24	2,29	15,24	17,53	806	803	602	638
T0814	8	14	16,41	2,29	16,41	18,69	865	862	646	685
T0905	9	5	5,91	2,58	5,91	8,49	432	428	321	340
T0906	9	6	7,08	2,58	7,08	9,65	506	502	376	399
T0907	9	7	8,24	2,58	8,24	10,82	580	576	432	458
T0908	9	8	9,41	2,58	9,41	11,99	655	650	488	517
T0909	9	9	10,58	2,58	10,58	13,15	729	725	544	576
T0910	9	10	11,74	2,58	11,74	14,32	803	799	599	635
T0911	9	11	12,91	2,58	12,91	15,48	878	873	655	694
T0912	9	12	14,07	2,58	14,07	16,65	952	948	711	753
T0913	9	13	15,24	2,58	15,24	17,82	1026	1022	766	812
T0914	9	14	16,41	2,58	16,41	18,98	1101	1096	822	871
T0915	9	15	17,57	2,58	17,57	20,15	1175	1170	878	931
T0916	9	16	18,74	2,58	18,74	21,31	1249	1245	934	990
T1005	10	5	5,91	2,87	5,91	8,78	541	535	401	425
T1006	10	6	7,08	2,87	7,08	9,94	633	627	470	498
T1007	10	7	8,24	2,87	8,24	11,11	724	718	539	571
T1008	10	8	9,41	2,87	9,41	12,28	816	810	608	644
T1009	10	9	10,58	2,87	10,58	13,44	908	902	676	717
T1010	10	10	11,74	2,87	11,74	14,61	999	993	745	790
T1011	10	11	12,91	2,87	12,91	15,77	1091	1085	814	863
T1012	10	12	14,07	2,87	14,07	16,94	1183	1177	883	936
T1013	10	13	15,24	2,87	15,24	18,11	1275	1269	951	1009
T1014	10	14	16,41	2,87	16,41	19,27	1366	1360	1020	1081
T1015	10	15	17,57	2,87	17,57	20,44	1458	1452	1089	1154
T1016	10	16	18,74	2,87	18,74	21,60	1550	1544	1158	1227
T1017	10	17	19,90	2,87	19,90	22,77	1641	1636	1227	1300



# SILOMASTERS

## CORRUGATED SILOS CATALOGUE

SILO MODEL	DIAMETER (m)	NUM. OF RINGS	CYLINDER HEIGHT (m)	ROOF HEIGHT (m)	EAVES HEIGHT (m)	TOTAL HEIGHT (m)	TOTAL VOLUME (**) (m <sup>3</sup> )	NET VOLUME (*)(***) (m <sup>3</sup> )	CAPACITY (@750 kg/m <sup>3</sup> ) (tn)	COMPACTED CAPACITY (+6%) (tn)
T1206	12	6	7,08	3,44	7,08	10,52	933	922	692	733
T1207	12	7	8,24	3,44	8,24	11,69	1065	1054	791	838
T1208	12	8	9,41	3,44	9,41	12,85	1197	1186	890	943
T1209	12	9	10,58	3,44	10,58	14,02	1329	1318	989	1048
T1210	12	10	11,74	3,44	11,74	15,19	1461	1451	1088	1153
T1211	12	11	12,91	3,44	12,91	16,35	1593	1583	1187	1258
T1212	12	12	14,07	3,44	14,07	17,52	1725	1715	1286	1363
T1213	12	13	15,24	3,44	15,24	18,68	1857	1847	1385	1468
T1214	12	14	16,41	3,44	16,41	19,85	1989	1979	1484	1573
T1215	12	15	17,57	3,44	17,57	21,02	2121	2111	1583	1678
T1216	12	16	18,74	3,44	18,74	22,18	2253	2243	1682	1783
T1217	12	17	19,90	3,44	19,90	23,35	2385	2375	1781	1888
T1218	12	18	21,07	3,44	21,07	24,51	2517	2507	1880	1993
T1407	14	7	8,24	3,91	8,24	12,15	1479	1462	1097	1163
T1408	14	8	9,41	3,91	9,41	13,32	1659	1642	1232	1306
T1409	14	9	10,58	3,91	10,58	14,48	1838	1822	1367	1449
T1410	14	10	11,74	3,91	11,74	15,65	2018	2002	1501	1591
T1411	14	11	12,91	3,91	12,91	16,81	2198	2182	1636	1734
T1412	14	12	14,07	3,91	14,07	17,98	2378	2361	1771	1877
T1413	14	13	15,24	3,91	15,24	19,15	2557	2541	1906	2020
T1414	14	14	16,41	3,91	16,41	20,31	2737	2721	2041	2163
T1415	14	15	17,57	3,91	17,57	21,48	2917	2901	2176	2306
T1416	14	16	18,74	3,91	18,74	22,64	3097	3080	2310	2449
T1417	14	17	19,90	3,91	19,90	23,81	3277	3260	2445	2592
T1418	14	18	21,07	3,91	21,07	24,98	3456	3440	2580	2735



# SILOMASTERS

## CORRUGATED SILOS CATALOGUE

SILO MODEL	DIAMETER (m)	NUM. OF RINGS	CYLINDER HEIGHT (m)	ROOF HEIGHT (m)	EAVES HEIGHT (m)	TOTAL HEIGHT (m)	TOTAL VOLUME (**) (m <sup>3</sup> )	NET VOLUME (*)(***) (m <sup>3</sup> )	CAPACITY (@750 kg/m <sup>3</sup> ) (tn)	COMPACTED CAPACITY (+6%) (tn)
T1608	16	8	9,41	4,48	9,41	13,89	2205	2181	1635	1734
T1609	16	9	10,58	4,48	10,58	15,06	2440	2415	1812	1920
T1610	16	10	11,74	4,48	11,74	16,23	2675	2650	1988	2107
T1611	16	11	12,91	4,48	12,91	17,39	2909	2885	2164	2294
T1612	16	12	14,07	4,48	14,07	18,56	3144	3120	2340	2480
T1613	16	13	15,24	4,48	15,24	19,72	3379	3355	2516	2667
T1614	16	14	16,41	4,48	16,41	20,89	3614	3589	2692	2853
T1615	16	15	17,57	4,48	17,57	22,06	3849	3824	2868	3040
T1616	16	16	18,74	4,48	18,74	23,22	4083	4059	3044	3227
T1617	16	17	19,90	4,48	19,90	24,39	4318	4294	3220	3413
T1618	16	18	21,07	4,48	21,07	25,55	4553	4528	3396	3600
T1619	16	19	22,24	4,48	22,24	26,72	4788	4763	3572	3787
T1620	16	20	23,40	4,48	23,40	27,89	5022	4998	3749	3973
T1808	18	8	9,41	5,15	9,41	14,56	2840	2805	2104	2230
T1809	18	9	10,58	5,15	10,58	15,73	3137	3102	2327	2466
T1810	18	10	11,74	5,15	11,74	16,89	3434	3399	2550	2703
T1811	18	11	12,91	5,15	12,91	18,06	3732	3697	2772	2939
T1812	18	12	14,07	5,15	14,07	19,23	4029	3994	2995	3175
T1813	18	13	15,24	5,15	15,24	20,39	4326	4291	3218	3411
T1814	18	14	16,41	5,15	16,41	21,56	4623	4588	3441	3648
T1815	18	15	17,57	5,15	17,57	22,72	4920	4885	3664	3884
T1816	18	16	18,74	5,15	18,74	23,89	5217	5183	3887	4120
T1817	18	17	19,90	5,15	19,90	25,06	5515	5480	4110	4356
T1818	18	18	21,07	5,15	21,07	26,22	5812	5777	4333	4593
T1819	18	19	22,24	5,15	22,24	27,39	6109	6074	4556	4829
T1820	18	20	23,40	5,15	23,40	28,55	6406	6371	4778	5065
T1821	18	21	24,57	5,15	24,57	29,72	6703	6668	5001	5301
T1822	18	22	25,73	5,15	25,73	30,89	7000	6966	5224	5538
T2010	20	10	11,74	5,73	11,74	17,47	4300	4252	3189	3381
T2011	20	11	12,91	5,73	12,91	18,64	4667	4619	3464	3672
T2012	20	12	14,07	5,73	14,07	19,80	5034	4986	3740	3964
T2013	20	13	15,24	5,73	15,24	20,97	5401	5353	4015	4256
T2014	20	14	16,41	5,73	16,41	22,14	5768	5720	4290	4547
T2015	20	15	17,57	5,73	17,57	23,30	6135	6087	4565	4839
T2016	20	16	18,74	5,73	18,74	24,47	6501	6454	4840	5131
T2017	20	17	19,90	5,73	19,90	25,63	6868	6820	5115	5422
T2018	20	18	21,07	5,73	21,07	26,80	7235	7187	5390	5714
T2019	20	19	22,24	5,73	22,24	27,97	7602	7554	5666	6006
T2020	20	20	23,40	5,73	23,40	29,13	7969	7921	5941	6297
T2021	20	21	24,57	5,73	24,57	30,30	8336	8288	6216	6589
T2022	20	22	25,73	5,73	25,73	31,46	8703	8655	6491	6881
T2023	20	23	26,90	5,73	26,90	32,63	9069	9022	6766	7172
T2024	20	24	28,07	5,73	28,07	33,80	9436	9388	7041	7464



# SILOMASTERS

## CORRUGATED SILOS CATALOGUE

SILO MODEL	DIAMETER (m)	NUM. OF RINGS	CYLINDER HEIGHT (m)	ROOF HEIGHT (m)	EAVES HEIGHT (m)	TOTAL HEIGHT (m)	TOTAL VOLUME (**) (m <sup>3</sup> )	NET VOLUME (*)(***) (m <sup>3</sup> )	CAPACITY (@750 kg/m <sup>3</sup> ) (tn)	COMPACTED CAPACITY (+6%) (tn)
T2210	22	10	11,74	6,31	11,74	18,05	5277	5213	3910	4145
T2211	22	11	12,91	6,31	12,91	19,22	5721	5657	4243	4497
T2212	22	12	14,07	6,31	14,07	20,38	6165	6101	4576	4850
T2213	22	13	15,24	6,31	15,24	21,55	6609	6545	4909	5203
T2214	22	14	16,41	6,31	16,41	22,71	7053	6989	5242	5556
T2215	22	15	17,57	6,31	17,57	23,88	7497	7433	5575	5909
T2216	22	16	18,74	6,31	18,74	25,05	7940	7877	5908	6262
T2217	22	17	19,90	6,31	19,90	26,21	8384	8321	6241	6615
T2218	22	18	21,07	6,31	21,07	27,38	8828	8765	6573	6968
T2219	22	19	22,24	6,31	22,24	28,54	9272	9209	6906	7321
T2220	22	20	23,40	6,31	23,40	29,71	9716	9652	7239	7674
T2221	22	21	24,57	6,31	24,57	30,88	10160	10096	7572	8027
T2222	22	22	25,73	6,31	25,73	32,04	10604	10540	7905	8380
T2223	22	23	26,90	6,31	26,90	33,21	11048	10984	8238	8732
T2224	22	24	28,07	6,31	28,07	34,37	11492	11428	8571	9085
T2410	24	10	11,74	6,89	11,74	18,63	6367	6284	4713	4996
T2411	24	11	12,91	6,89	12,91	19,79	6895	6813	5109	5416
T2412	24	12	14,07	6,89	14,07	20,96	7423	7341	5506	5836
T2413	24	13	15,24	6,89	15,24	22,13	7952	7869	5902	6256
T2414	24	14	16,41	6,89	16,41	23,29	8480	8397	6298	6676
T2415	24	15	17,57	6,89	17,57	24,46	9008	8926	6694	7096
T2416	24	16	18,74	6,89	18,74	25,62	9536	9454	7090	7516
T2417	24	17	19,90	6,89	19,90	26,79	10065	9982	7487	7936
T2418	24	18	21,07	6,89	21,07	27,96	10593	10510	7883	8356
T2419	24	19	22,24	6,89	22,24	29,12	11121	11039	8279	8776
T2420	24	20	23,40	6,89	23,40	30,29	11650	11567	8675	9196
T2421	24	21	24,57	6,89	24,57	31,45	12178	12095	9071	9616
T2422	24	22	25,73	6,89	25,73	32,62	12706	12624	9468	10036
T2423	24	23	26,90	6,89	26,90	33,79	13234	13152	9864	10456
T2424	24	24	28,07	6,89	28,07	34,95	13763	13680	10260	10876
T2610	26	10	11,74	7,46	11,74	19,21	7575	7470	5602	5939
T2611	26	11	12,91	7,46	12,91	20,37	8195	8090	6067	6431
T2612	26	12	14,07	7,46	14,07	21,54	8815	8710	6532	6924
T2613	26	13	15,24	7,46	15,24	22,70	9435	9330	6997	7417
T2614	26	14	16,41	7,46	16,41	23,87	10055	9950	7462	7910
T2615	26	15	17,57	7,46	17,57	25,04	10675	10570	7927	8403
T2616	26	16	18,74	7,46	18,74	26,20	11295	11190	8392	8896
T2617	26	17	19,90	7,46	19,90	27,37	11915	11810	8858	9389
T2618	26	18	21,07	7,46	21,07	28,53	12535	12430	9323	9882
T2619	26	19	22,24	7,46	22,24	29,70	13155	13050	9788	10375
T2620	26	20	23,40	7,46	23,40	30,87	13775	13670	10253	10868
T2621	26	21	24,57	7,46	24,57	32,03	14395	14290	10718	11361
T2622	26	22	25,73	7,46	25,73	33,20	15015	14910	11183	11854
T2623	26	23	26,90	7,46	26,90	34,36	15635	15530	11648	12346
T2624	26	24	28,07	7,46	28,07	35,53	16255	16150	12113	12839



# SILOMASTERS

## CORRUGATED SILOS CATALOGUE

SILO MODEL	DIAMETER (m)	NUM. OF RINGS	CYLINDER HEIGHT (m)	ROOF HEIGHT (m)	EAVES HEIGHT (m)	TOTAL HEIGHT (m)	TOTAL VOLUME (**) (m <sup>3</sup> )	NET VOLUME (*)(***) (m <sup>3</sup> )	CAPACITY (@750 kg/m <sup>3</sup> ) (tn)	COMPACTED CAPACITY (+6%) (tn)
T2810	28	10	11,74	8,04	11,74	19,78	8904	8772	6579	6974
T2811	28	11	12,91	8,04	12,91	20,95	9623	9491	7119	7546
T2812	28	12	14,07	8,04	14,07	22,12	10342	10210	7658	8117
T2813	28	13	15,24	8,04	15,24	23,28	11061	10929	8197	8689
T2814	28	14	16,41	8,04	16,41	24,45	11780	11649	8736	9261
T2815	28	15	17,57	8,04	17,57	25,61	12499	12368	9276	9832
T2816	28	16	18,74	8,04	18,74	26,78	13218	13087	9815	10404
T2817	28	17	19,90	8,04	19,90	27,95	13937	13806	10354	10975
T2818	28	18	21,07	8,04	21,07	29,11	14656	14525	10894	11547
T2819	28	19	22,24	8,04	22,24	30,28	15375	15244	11433	12119
T2820	28	20	23,40	8,04	23,40	31,44	16094	15963	11972	12690
T2821	28	21	24,57	8,04	24,57	32,61	16813	16682	12511	13262
T2822	28	22	25,73	8,04	25,73	33,78	17532	17401	13051	13834
T2823	28	23	26,90	8,04	26,90	34,94	18251	18120	13590	14405
T2824	28	24	28,07	8,04	28,07	36,11	18970	18839	14129	14977
T3010	30	10	11,74	8,62	11,74	20,36	10358	10196	7647	8106
T3011	30	11	12,91	8,62	12,91	21,53	11183	11022	8266	8762
T3012	30	12	14,07	8,62	14,07	22,69	12009	11847	8885	9418
T3013	30	13	15,24	8,62	15,24	23,86	12834	12673	9504	10075
T3014	30	14	16,41	8,62	16,41	25,03	13659	13498	10124	10731
T3015	30	15	17,57	8,62	17,57	26,19	14485	14324	10743	11387
T3016	30	16	18,74	8,62	18,74	27,36	15310	15149	11362	12043
T3017	30	17	19,90	8,62	19,90	28,52	16136	15974	11981	12700
T3018	30	18	21,07	8,62	21,07	29,69	16961	16800	12600	13356
T3019	30	19	22,24	8,62	22,24	30,86	17787	17625	13219	14012
T3020	30	20	23,40	8,62	23,40	32,02	18612	18451	13838	14668
T3021	30	21	24,57	8,62	24,57	33,19	19438	19276	14457	15325
T3022	30	22	25,73	8,62	25,73	34,35	20263	20102	15076	15981
T3023	30	23	26,90	8,62	26,90	35,52	21089	20927	15695	16637
T3024	30	24	28,07	8,62	28,07	36,69	21914	21753	16314	17293
T3210	32	10	11,74	9,20	11,74	20,94	11940	11744	8808	9337
T3211	32	11	12,91	9,20	12,91	22,11	12879	12683	9513	10083
T3212	32	12	14,07	9,20	14,07	23,27	13819	13623	10217	10830
T3213	32	13	15,24	9,20	15,24	24,44	14758	14562	10921	11577
T3214	32	14	16,41	9,20	16,41	25,60	15697	15501	11626	12323
T3215	32	15	17,57	9,20	17,57	26,77	16636	16440	12330	13070
T3216	32	16	18,74	9,20	18,74	27,94	17576	17380	13035	13817
T3217	32	17	19,90	9,20	19,90	29,10	18515	18319	13739	14563
T3218	32	18	21,07	9,20	21,07	30,27	19454	19258	14444	15310
T3219	32	19	22,24	9,20	22,24	31,43	20393	20197	15148	16057
T3220	32	20	23,40	9,20	23,40	32,60	21332	21136	15852	16803
T3221	32	21	24,57	9,20	24,57	33,77	22272	22076	16557	17550
T3222	32	22	25,73	9,20	25,73	34,93	23211	23015	17261	18297
T3223	32	23	26,90	9,20	26,90	36,10	24150	23954	17966	19044
T3224	32	24	28,07	9,20	28,07	37,26	25089	24893	18670	19790
T3225	32	25	29,23	9,20	29,23	38,43	26029	25833	19374	20537

(\*) Grain lateral height = wall height - 150 mm

(\*\*) Roof slope - 30°

(\*\*\*) Grain Natural Slope - 28°

